

Hubei Yuanao Technology Co., Ltd ADD: Xindu District, Wuhan City, Hubei Province, China

Email: info@yuanaotech.com Whatsapp: +86-13476837975/13013291987

## **Certificate of Analysis**

product name: Semaglutide CAS: 910463-68-2

His-Aib-Glu-Gly-Thr-Phe-Thr-Ser-Asp-Val-Ser-Ser-Tyr-Leu-

Sequence: Glu-Gly-Gln-Ala-Ala-Lys(AEE

A- AEEA

γ-Glu- 17-carboxyheptadecanoyl)-Glu-Phe-Ile-Ala-Trp-Leu-

batch No.: P2301011001

Quantity 1G

inspect date: 2023.10.11

Items	Specification	Test result
Appearance	White or off-white powder	Conforms
Solubility	Soluble in H2O	Conforms
Amino acid analysis	His (0.9-1.1) Asp (0.9-1.1) Ala (2.7-3.3) Val (1.8-2.2) Glu (4.5-5.5) Leu (1.8-2.2) Gly (3.6-4.4) Lys (0.9-1.1) Thr (1.8-2.2) Phe (1.8-2.2) Arg (1.8-2.2) Ser (2.7-3.3) Ile (0.9-1.1) Tyr (0.9-1.1) Aib (0.8-1.2) AEEA(1.6-2.4) Trp (Det)	His 1 . 0 Asp 1 .0 Ala 3 .2 Val 2 .0 Glu 5 .2 Leu 2 .0 Gly 4 .2 Lys 1 .0 Thr 2 . 0 Ile 1 . 1 Phe 1.9 Arg 2. 1 Ser 2.8 Tyr 1. 1 Aib 1.0 AEEA 2 . 0 Trp( Det)
Clarity and color of solution	Clear and colorless	Conforms
Mass Spectrum	4113.58± 1.0	4113.80
Purity	≥98%	99.50%
Water	≤ 8.0%	4.20%
Trifluoroacetate ion	≤0. 1%	N.D
рН	6 .0~9 .0	7.9
Sodium ion	≤4.0%	2.30%
Phosphate ion	<0.5%	N.D
Chloride ion	<0.5%	N.D
Related Substances ( HPLC)	Any individual impurity: ≤ 1.0%  Total impurity: ≤ 2.0%	0.03% 0.22%
Residual solvents	Methanol: ≤ 0 .3% Isopropanol: ≤ 0 .5% Acetonitrile: ≤ 0 .041% Methylene chloride: ≤ 0 .06% N,N-Dimethylformamide: ≤ 0 .088% Tert-butyl methyl ether: ≤ 0	Methanol: N. D Isopropanol: 0 .001% Acetonitrile: 0 .025% Methylene chloride: N. D N,N-Dimethylformamide:0 . 005% Tert- butyl methyl ether: N. D
Peptide Assay	≥85%	93.40%
Bacterial endotoxin	<10EU/mg	TECHNICAS .
Packaging and storage	Store at a temperature of 2 for long term stora	but should be set it -20°C e. preference esicoated.

inspector:LI JIAN

Reinspector: GAO SHEN