# SAFETY DATA SHEET

Version 6.15 Revision Date 05/01/2025 Print Date 05/02/2025

### **SECTION 1. IDENTIFICATION**

### 1.1 Product identifiers

Product name : Fumaric acid

Product Number : 47910

Index-No. : 607-146-00-X CAS-No. : 110-17-8

# 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

Uses advised against : The product is being supplied under the TSCA R&D Exemption

(40 CFR Section 720.36). It is the recipient's responsibility to comply with the requirements of the R&D exemption. The product may not be used for a non-exempt commercial purpose

product may not be used for a non-exempt commercial purpose under TSCA unless appropriate consent is granted in writing by

MilliporeSigma.

## 1.3 Details of the supplier of the safety data sheet

Company : Jiangsu Khonor Chemicals Co., Limited

### **SECTION 2. HAZARDS IDENTIFICATION**

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Eye irritation : Category 2A

### Other hazards

None known.

### **GHS label elements**

Hazard pictograms



Signal Word : Warning

Hazard Statements : H319 Causes serious eye irritation.

Precautionary Statements : **Prevention:** 

P264 Wash skin thoroughly after handling. P280 Wear eye protection/ face protection.

Response:

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P337 + P313 If eye irritation persists: Get medical

advice/ attention.

## **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Substance

## Components

	CAS No./Unique ID	Concentration (% w/w)	Trade secret
fumaric acid	110-17-8*	>= 80 - <= 100	TSC

<sup>\*</sup> Indicates that the identifier is a CAS No.

TSC- the actual concentration or concentration range is withheld as a trade secret

### **SECTION 4. FIRST AID MEASURES**

General advice : Show this material safety data sheet to the doctor in

attendance.

If inhaled : After inhalation: fresh air.

In case of skin contact : In case of skin contact: Take off immediately all

contaminated clothing. Rinse skin with water/ shower.

In case of eye contact : After eye contact: rinse out with plenty of water.

Call in ophthalmologist. Remove contact lenses. If swallowed : After swallowing: immediately make victim drink

water (two glasses at most).

Consult a physician.

Most important

symptoms and effects, both acute and delayed

: The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in

section 11

Protection of first-aiders :

: For personal protection see section 8.

Notes to physician : No data available

#### **SECTION 5. FIRE-FIGHTING MEASURES**

Suitable extinguishing

media

: Water Foam

Carbon dioxide (CO2)

Dry powder

Unsuitable extinguishing

media

: For this substance/mixture no limitations of

extinguishing agents are given.

Specific hazards during

fire fighting

: Combustible.

Vapors are heavier than air and may spread along

floors.

Forms explosive mixtures with air on intense heating.

Development of hazardous combustion gases or

vapours possible in the event of fire.

Hazardous combustion

products

: Carbon oxides

Specific extinguishing

methods

: No data available

Further information : Prevent fire extinguishing water from contaminating

surface water or the ground water system.

Special protective equipment for fire-fighters

: In the event of fire, wear self-contained breathing

apparatus.

### **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures : Advice for non-emergency personnel:

Avoid inhalation of dusts. Avoid substance contact. Ensure adequate ventilation.

Evacuate the danger area, observe emergency

procedures, consult an expert. Advice for emergency responders: For personal protection see section 8.

Environmental precautions

: Do not let product enter drains.

Methods and materials for containment and cleaning up

: Cover drains. Collect, bind, and pump off spills.
Observe possible material restrictions (see sections 7

and 10).

Take up dry. Dispose of properly. Clean up affected

area. Avoid generation of dusts.

### **SECTION 7. HANDLING AND STORAGE**

For precautions see section 2.2.

Further information on storage conditions

: Tightly closed.

Dry.

Storage class : 11, Combustible Solids

Recommended storage

temperature

: Recommended storage temperature see product label.

Packaging material : Suitable material: LDPE Bottle/Jar

### **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

### Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

**Engineering measures** : No data available

# **Personal protective equipment**

Respiratory protection : required when dusts are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN

EN 143, DIN 14387 and other accompanying

standards relating to the used respiratory protection

system.

Recommended Filter

type:

: Filter type P2

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

Hand protection

Material : Nitrile rubber
Break through time : 480 min
Glove thickness : 0.11 mm
Protective index : Full contact

Manufacturer : KCL 741 Dermatril® L

Material : Nitrile rubber Break through time : 480 min Glove thickness : 0.11 mm

Protective index : Splash contact

Manufacturer : KCL 741 Dermatril® L

Remarks : This recommendation applies only to the product

stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-

36124 Eichenzell, Internet: www.kcl.de).

Eye protection : Use equipment for eye protection tested and

approved under appropriate government standards

such as NIOSH (US) or EN 166(EU).

Safety glasses

Skin and body protection : protective clothing

Hygiene measures : Change contaminated clothing. Wash hands after

working with substance.

### **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : flakes

Color : colorless

Odor : odorless

Odor Threshold : Not applicable

: 2.1 (68 °F / 20 °C) рΗ

Concentration: 4.9 g/l

: 568 - 572 °F / 298 - 300 °C Melting point/ range

Boiling point/boiling range :  $>= 329 \, ^{\circ}\text{F} / >= 165 \, ^{\circ}\text{C} (>= 1,013 \, \text{hPa})$ 

Method: OECD Test Guideline 103

Flash point : 523 °F / 273 °C

Method: DIN 51758

Evaporation rate : No data available

: No data available Burning rate

Self-ignition : ca.

750 °F / 399 °C

1,013 hPa

Upper explosion limit /

Upper flammability limit

: 40 %(V)

Lower explosion limit /

Lower flammability limit

: 3 %(V)

Vapor pressure : 2.2 hPa (329 °F / 165 °C)

Relative vapor density : No data available

Relative density : No data available

Density : 1.63 g/cm3 (68 °F / 20 °C)

Solubility(ies)

: 7 g/l soluble (77 °F / 25 °C) Water solubility

pH: 6 - 8

Method: US-EPA

Partition coefficient: n-

octanol/water

: log Pow: ca. -4.02 (68 °F / 20 °C)

pH: 5.9

Method: OECD Test Guideline 107

GLP: yes

Bioaccumulation is not expected.

Autoignition temperature : ca. 750 °F / 399 °C (1,013 hPa)

Decomposition temperature

: No data available

Viscosity, dynamic : No data available

Viscosity, kinematic : No data available

Flow time : No data available

Explosive properties : Not classified as explosive.

Oxidizing properties : none

Sublimation point : 329 - 554 °F / 165 - 290 °C

Molecular weight : 116.07 g/mol

Particle characteristics

Particle size : No data available

## **SECTION 10. STABILITY AND REACTIVITY**

Reactivity : Forms explosive mixtures with air on intense heating.

A range from approx. 15 Kelvin below the flash point

is to be rated as critical.

The following applies in general to flammable organic substances and mixtures: in correspondingly fine distribution, when whirled up a dust explosion

potential may generally be assumed.

Chemical stability : The product is chemically stable under standard

ambient conditions (room temperature) .

Possibility of hazardous

reactions

: Violent reactions possible with:

Oxidizing agents

Bases

Reducing agents

Amines

Conditions to avoid : Strong heating.

Incompatible materials : No data available

Hazardous decomposition: In the event of fire: see section 5

products

### **SECTION 11. TOXICOLOGICAL INFORMATION**

# 11.1 Information on toxicological effects

# **Acute toxicity**

LD50 Oral - Rat - male and female - 9,300 mg/kg

(OECD Test Guideline 401)

Symptoms: After uptake of large quantities:, Irritation of mucous membranes, Nausea

LC50 Inhalation - Rat - male and female - 4 h - > 1.306 mg/l - dust/mist

(OECD Test Guideline 403)

Remarks: (highest concentration to be prepared)

Symptoms: Possible damages:, Irritation symptoms in the respiratory tract.

LD50 Dermal - Rabbit - female - 20,000 mg/kg

(OECD Test Guideline 402)

### Skin corrosion/irritation

Skin - Rabbit

Result: No skin irritation - 4 h (OECD Test Guideline 404)

# Serious eye damage/eye irritation

Eyes - Rabbit

Result: Eye irritation

(OECD Test Guideline 405)

## Respiratory or skin sensitization

Maximization Test - Guinea pig

Result: negative

(OECD Test Guideline 406)

### Germ cell mutagenicity

Test Type: In vitro mammalian cell gene mutation test

Test system: mouse lymphoma cells

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 476

Result: negative

Test Type: Mutagenicity (mammal cell test): chromosome aberration.

Test system: Chinese hamster lung cells

Metabolic activation: without metabolic activation

Method: OECD Test Guideline 473

Result: negative Test Type: Ames test

Test system: Salmonella typhimurium

Result: negative

Remarks: (National Toxicology Program)

### Carcinogenicity

IARC: No ingredient of this product present at levels greater than or equal to 0.1% is

identified as probable, possible or confirmed human carcinogen by IARC.

NTP: No ingredient of this product present at levels greater than or equal to 0.1% is

identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is

on OSHA's list of regulated carcinogens.

### Reproductive toxicity

No data available

## Specific target organ toxicity - single exposure

No data available

## Specific target organ toxicity - repeated exposure

No data available

### **Aspiration hazard**

No data available

#### 11.2 Additional Information

Repeated dose toxicity - Rat - male - Oral - 2 yr - NOAEL (No observed adverse effect level) - 600 mg/kg

RTECS: LS9625000

Gastrointestinal disturbance

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Other dangerous properties can not be excluded.

Handle in accordance with good industrial hygiene and safety practice.

Stomach - Irregularities - Based on Human Evidence

Stomach - Irregularities - Based on Human Evidence

### **SECTION 12. ECOLOGICAL INFORMATION**

## **Ecotoxicity**

### **Components:**

# fumaric acid:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 100 mg/l

End point: mortality Exposure time: 96 h Test Type: semi-static test Analytical monitoring: yes

Method: OECD Test Guideline 203

GLP: yes

Toxicity to daphnia and

guatic Eng

other aquatic

: EC50 (Daphnia magna (Water flea)): > 100 mg/l

End point: Immobilization

invertebrates Exposure time: 48 h

Test Type: semi-static test Analytical monitoring: yes

Method: OECD Test Guideline 202

GLP: yes

Toxicity to algae/aquatic

plants

: ErC50 (Pseudokirchneriella subcapitata): > 100 mg/l

Exposure time: 72 h Test Type: static test Analytical monitoring: yes

Method: OECD Test Guideline 201

GLP: yes

NOEC (Pseudokirchneriella subcapitata (green algae)):

> 100 mg/l

Exposure time: 72 h Test Type: static test Analytical monitoring: yes

Method: OECD Test Guideline 201

GLP: yes

Toxicity to : EC50 (activated sludge): > 300 mg/l

microorganisms Exposure time: 3 h
Test Type: static test

Method: OECD Test Guideline 209

GLP: yes

# Persistence and degradability

### **Components:**

fumaric acid:

Biodegradability : aerobic

Inoculum: activated sludge, non-adapted

Concentration: 36.2 mg/l Result: Readily biodegradable. Biodegradation: ca. 67.5 %

Exposure time: 28 d

Method: OECD Test Guideline 301B

GLP: yes

ThOD : 827 mg/g

Remarks: (Lit.)

BOD/ThOD : 34 %

Remarks: (Lit.)

# **Bioaccumulative potential**

# Components:

fumaric acid:

Partition coefficient: n-

octanol/water

: log Pow: ca. -4.02 (68 °F / 20 °C)

pH: 5.9

Method: OECD Test Guideline 107

GLP: yes

Remarks: Bioaccumulation is not expected.

# Mobility in soil

No data available

### Other adverse effects

### **Product:**

Ozone-Depletion Potential: Regulation: 40 CFR Protection of Environment; Part

82 Protection of Stratospheric Ozone - CAA Section

602 Class I Substances

Remarks: This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR

82, Subpt. A, App.A + B).

# **Components:**

### fumaric acid:

Additional ecological

information

: Discharge into the environment must be avoided.

### **SECTION 13. DISPOSAL CONSIDERATIONS**

# **Disposal methods**

Waste from residues : Waste material must be disposed of in accordance

with the national and local regulations. Leave

chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product

itself.

### **SECTION 14. TRANSPORT INFORMATION**

## **International Regulations**

## **IATA-DGR**

Not regulated as a dangerous good

### **IMDG-Code**

Not regulated as a dangerous good

# Transport in bulk according to IMO instruments

Not applicable for product as supplied.

# **National regulation**

### 49 CFR Road

UN/ID/NA number : UN 3077

Proper shipping name : Environmentally hazardous substance, solid, n.o.s.

(fumaric acid)

Class : 9 Packing group : III

Labels : Class 9 - Miscellaneous dangerous substances and

articles

ERG Code : 171 Marine pollutant : no

Poison Inhalation Hazard : No

# Special precautions for user

Remarks : Not classified as dangerous in the meaning of

transport regulations.

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

### **SECTION 15. REGULATORY INFORMATION**

### **CERCLA Reportable Quantity**

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
fumaric acid	110-17-8	5000	5000

## SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

## **SARA 302 Extremely Hazardous Substances Threshold Planning Quantity**

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 : Acute Health Hazard Hazards : Chronic Health Hazard

SARA 313 : This material does not contain any chemical

components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by

SARA Title III, Section 313.

## **Clean Air Act**

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B). This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

The following chemical(s) are listed under the U.S. Clean Air Act Section 111 SOCMI

Intermediate or Final VOC's (40 CFR 60.489):

fumaric acid 110-17-8 >= 90 - <= 100 %

### **Clean Water Act**

The following Hazardous Substances are listed under the U.S. CleanWater Act, Section 311, Table 116.4A:

fumaric acid 110-17-8 >= 90 - <= 100 %

The following Hazardous Chemicals are listed under the U.S. CleanWater Act, Section 311, Table 117.3:

fumaric acid 110-17-8 >= 90 - <= 100 %

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

This product does not contain any priority pollutants related to the U.S. Clean Water Act

## **US State Regulations**

## **Massachusetts Right To Know**

fumaric acid 110-17-8

# Pennsylvania Right To Know

fumaric acid 110-17-8

## **Maine Chemicals of High Concern**

Product does not contain any listed chemicals

# **Vermont Chemicals of High Concern**

Product does not contain any listed chemicals

### **Washington Chemicals of High Concern**

Product does not contain any listed chemicals

### The ingredients of this product are reported in the following inventories:

TSCA : All substances listed as active on the TSCA inventory

#### TSCA list

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

## **SECTION 16. OTHER INFORMATION**

#### Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and

Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO -International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA -Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

The information is believed to be correct but is not exhaustive and will be used solely as a guideline, which is based on current knowledge of the chemical substance or mixture and is a pplicable to appropriate safety precautions for the product. It does not represent any guarantee of the properties of the product. Jiangsu Khonor Chemicals Co., Limitedand its Affili ates shall not be held liable for any damage resulting from handling or from contact with the above product.

Revision Date : 05/01/2025

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered.

US / EN